



Aalborg Universitet

AALBORG UNIVERSITY
DENMARK

Network coding on mobile devices

Pedersen, Morten Videbæk; Heide, Janus; Vingelmann, Peter; Militano, Leonardo; Fitzek, Frank

Publication date:
2009

Document Version
Publisher's PDF, also known as Version of record

[Link to publication from Aalborg University](#)

Citation for published version (APA):

Pedersen, M. V., Heide, J., Vingelmann, P., Militano, L., & Fitzek, F. (2009). *Network coding on mobile devices*. Poster presented at In *Workshop on Network Coding, Theory and Applications (NetCod)*, Lausanne, Switzerland.

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal -

Take down policy


If you believe that this document breaches copyright please contact us at vbn@aub.aau.dk providing details, and we will remove access to the work immediately and investigate your claim.

Network Coding on Mobile Devices


Morten V. Pedersen and Janus Heide and Peter Vingelmann and Leonardo Militano and Frank H.P. Fitzek - Aalborg University, Denmark - ff@es.aau.dk - mobiledevices.kom.aau.dk - version 1.0 - 2009

Network Coding Scenarios

Most of our scenarios are focusing on cooperative wireless networking or wireless grids. In those scenarios mobile devices need to establish a cooperative short range communication cluster to exchange data that they received over centralized links with limited capacity.






To understand the potential gain of network coding, we carried out a sophisticated channel and energy measurement campaign on the Nokia N95 for 3G and WLAN technology, where the 3G technology is used to seed packets into the cooperative cluster and WLAN to exchange those seeds among the cooperating mobile devices. For the WLAN case we even looked into the *multicast* and *unicast* transmission options.



Publications

- Janus Heide, Morten V. Pedersen, Frank H.P. Fitzek, and Torben Larsen, Cautious view on network coding - from theory to practice, Journal of Communications and Networks (JCN), 2009.
- D.E. Lucani, F.H.P. Fitzek, M. Medard, and M. Stojanovic, Network coding for data dissemination: It is not what you know, but what your neighbors know, in RAWNET/WNC3 2009, June 2009.
- M. Pedersen, J. Heide, F.H.P. Fitzek, and T. Larsen, Network coding for mobile devices - systematic binary random rateless codes, in Workshop on Cooperative Mobile Networks 2009 - ICC09. IEEE, June 2009.
- L. Militano, F.H.P. Fitzek, A. Iera, and A. Molinaro, Evolutionary theory for cluster head election in cooperative clusters implementing network coding, in European Wireless 2009, Aalborg, Denmark, May 2009.
- P. Vingelmann, P. Zanaty, F.H.P. Fitzek, and H. Charaf, Implementation of random linear network coding on opengl-enabled graphics cards, in European Wireless 2009, Aalborg, Denmark, May 2009.




Implementation of NC

Mobile resource constrained platforms e.g. mobile phones, sensors, etc. requires focus on:



- Computational power.
- Memory constraints.
- Energy consumption.

GF(2) on the CPU

- Faster arithmetics when the binary field GF(2) is used.
- Progressive decoding distributes the computational load
- Systematic codes reduce the necessary amount of coding.
- Higher probability of linear dependency compared to higher field sizes.





Laptop: Intel Core2Duo 2.5 GHz, 2 GB RAM



Mobile Phone: 332 MHz, 128 MB RAM

GF(2^8) on the GPU

- Programmable parallel processors with high computational capabilities.
- High coding throughput compared to similar implementations on the CPU.




OpenGL implementation


CUDA implementaiton

PictureViewer


- 802.11 b/g ad hoc broadcast
- Reliable single-hop multicast.
- Convey pictures from your mobile phone to several neighboring devices.
- Network coding at the application layer.



Pure coding




Systematic coding



Genetic Algorithms for NC

- Seeding strategies for combined cellular and local networks
- Genetic algorithms trains the network for good performance
- Outperforms a random approach
- Quickly finds a good solution, also in a dynamic environment



Acknowledgements

We thank our students and colleagues working with us every day on the mobile phones research activities and we hope to continue in the future. Furthermore we would like to thank the following institutions:

